

# Short Paper

Alice Anonymous<sup>a,\*</sup>

<sup>a</sup>*Department, Street, City, State, Zip*

---

## Abstract

This is the abstract. It consists of two paragraphs.

*Keywords:* One; Two; Three; Four; Five

---

## Highlights

- First
- Second
- Third

## 1. Introduction

Jia and Chong [1] proposed an R package for conducting data-driven analytics with EnergyPlus [2].

The objectives of this paper are to:

1. One
2. Two

## 2. Methodology

*2.1. Overview*

*2.2. Math*

Eq. (1) gives the definition.

$$\bar{X} = \frac{1}{n} \sum_{i=1}^n X_i \quad (1)$$

## 3. Results

Fig. 1 gives a scatter plot.

Table 1 gives a result table.

---

\*Corresponding Author

*Email address:* `alice@example.com` (Alice Anonymous)




Figure 1: A scatter plot

23 **4. Discussion**

24 **5. Conclusion**

25 **Data availability**

26 The research compendium for this article can be found at <https://github.com/YouName/RepoName>, hosted at GitHub.

28 **CRedit authorship contribution statement**

Table 1: A result table

	mpg	cyl	disp	hp	drat	wt	qsec	vs	am	gear	carb
Mazda RX4	21.0	6	160	110	3.90	2.620	16.46	0	1	4	4
Mazda RX4 Wag	21.0	6	160	110	3.90	2.875	17.02	0	1	4	4
Datsun 710	22.8	4	108	93	3.85	2.320	18.61	1	1	4	1
Hornet 4 Drive	21.4	6	258	110	3.08	3.215	19.44	1	0	3	1
Hornet Sportabout	18.7	8	360	175	3.15	3.440	17.02	0	0	3	2
Valiant	18.1	6	225	105	2.76	3.460	20.22	1	0	3	1

29 **Acknowledgements**

30 This research was supported by ...

31 **References**

- 32 [1] H. Jia, A. Chong, Eplusr: A framework for integrating build-  
33 ing energy simulation and data-driven analytics, Energy and Build-  
34 ings 237 (2021) 110757. URL: [https://linkinghub.elsevier.com/retrieve/pii/  
35 S0378778821000414](https://linkinghub.elsevier.com/retrieve/pii/S0378778821000414). doi:10.1016/j.enbuild.2021.110757.
- 36 [2] D. B. Crawley, L. K. Lawrie, F. C. Winkelmann, W. F. Buhl,  
37 Y. J. Huang, C. O. Pedersen, R. K. Strand, R. J. Liesen, D. E.  
38 Fisher, M. J. Witte, J. Glazer, EnergyPlus: Creating a new-  
39 generation building energy simulation program, Energy and Buildings  
40 33 (2001) 319–331. URL: [http://www.sciencedirect.com/science/article/pii/  
41 S037877880001146](http://www.sciencedirect.com/science/article/pii/S037877880001146). doi:10.1016/s0378-7788(00)00114-6.